


INCLINED ASSEMBLY CI



$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$




d1	L1	α	d2	L2	j	h	b	M	ITEM CODE
12	50	7°	24	22	17,5	2,5	4	4	CI0712050
12	75	7°	24	22	17,5	2,5	4	4	CI0712075
12	100	7°	24	22	17,5	2,5	4	4	CI0712100
12	125	7°	24	22	17,5	2,5	4	4	CI0712125
12	50	10°	24	22	17,5	2,5	4	4	CI1012050
12	75	10°	24	22	17,5	2,5	4	4	CI1012075
12	100	10°	24	22	17,5	2,5	4	4	CI1012100
12	125	10°	24	22	17,5	2,5	4	4	CI1012125
12	50	12°	24	22	17,5	2,5	4	4	CI1212050
12	75	12°	24	22	17,5	2,5	4	4	CI1212075
12	100	12°	24	22	17,5	2,5	4	4	CI1212100
12	125	12°	24	22	17,5	2,5	4	4	CI1212125
12	50	15°	24	22	17,5	2,5	4	4	CI1512050
12	75	15°	24	22	17,5	2,5	4	4	CI1512075
12	100	15°	24	22	17,5	2,5	4	4	CI1512100
12	125	15°	24	22	17,5	2,5	4	4	CI1512125
12	50	18°	24	22	17,5	2,5	4	4	CI1812050
12	75	18°	24	22	17,5	2,5	4	4	CI1812075
12	100	18°	24	22	17,5	2,5	4	4	CI1812100
12	125	18°	24	22	17,5	2,5	4	4	CI1812125
12	50	20°	24	22	17,5	2,5	4	4	CI2012050
12	75	20°	24	22	17,5	2,5	4	4	CI2012075
12	100	20°	24	22	17,5	2,5	4	4	CI2012100
12	125	20°	24	22	17,5	2,5	4	4	CI2012125
12	50	22°	24	22	17,5	2,5	4	4	CI2212050
12	75	22°	24	22	17,5	2,5	4	4	CI2212075
12	100	22°	24	22	17,5	2,5	4	4	CI2212100
12	125	22°	24	22	17,5	2,5	4	4	CI2212125

INCLINED ASSEMBLY CI



$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$




d1	L1	α	d2	L2	j	h	b	M	ITEM CODE
16	75	7°	30	28	22,5	3	6	5	CI0716075
16	100	7°	30	28	22,5	3	6	5	CI0716100
16	125	7°	30	28	22,5	3	6	5	CI0716125
16	150	7°	30	28	22,5	3	6	5	CI0716150
16	75	10°	30	28	22,5	3	6	5	CI1016075
16	100	10°	30	28	22,5	3	6	5	CI1016100
16	125	10°	30	28	22,5	3	6	5	CI1016125
16	150	10°	30	28	22,5	3	6	5	CI1016125
16	75	12°	30	28	22,5	3	6	5	CI1216075
16	100	12°	30	28	22,5	3	6	5	CI1216100
16	125	12°	30	28	22,5	3	6	5	CI1216125
16	150	12°	30	28	22,5	3	6	5	CI1216125
16	75	15°	30	28	22,5	3	6	5	CI1516075
16	100	15°	30	28	22,5	3	6	5	CI1516100
16	125	15°	30	28	22,5	3	6	5	CI1516125
16	150	15°	30	28	22,5	3	6	5	CI1516125
16	75	18°	30	28	22,5	3	6	5	CI1816075
16	100	18°	30	28	22,5	3	6	5	CI1816100
16	125	18°	30	28	22,5	3	6	5	CI1816125
16	150	18°	30	28	22,5	3	6	5	CI1816125
16	75	20°	30	28	22,5	3	6	5	CI2016075
16	100	20°	30	28	22,5	3	6	5	CI2016100
16	125	20°	30	28	22,5	3	6	5	CI2016125
16	150	20°	30	28	22,5	3	6	5	CI2016125
16	75	22°	30	28	22,5	3	6	5	CI2216075
16	100	22°	30	28	22,5	3	6	5	CI2216100
16	125	22°	30	28	22,5	3	6	5	CI2216125
16	150	22°	30	28	22,5	3	6	5	CI2216125

MAT : Base support 1.2312 / Column 1.5732 ~ 58-60HRc / Screw 12.9

INCLINED ASSEMBLY CI



$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$




d1	L1	α	d2	L2	j	h	b	M	ITEM CODE
20	100	7°	38	36	28	4	6	6	CI0720100
20	125	7°	38	36	28	4	6	6	CI0720125
20	150	7°	38	36	28	4	6	6	CI0720150
20	175	7°	38	36	28	4	6	6	CI0720175
20	100	10°	38	36	28	4	6	6	CI1020100
20	125	10°	38	36	28	4	6	6	CI1020125
20	150	10°	38	36	28	4	6	6	CI1020150
20	175	10°	38	36	28	4	6	6	CI1020175
20	100	12°	38	36	28	4	6	6	CI1220100
20	125	12°	38	36	28	4	6	6	CI1220125
20	150	12°	38	36	28	4	6	6	CI1220150
20	175	12°	38	36	28	4	6	6	CI1220175
20	100	15°	38	36	28	4	6	6	CI1520100
20	125	15°	38	36	28	4	6	6	CI1520125
20	150	15°	38	36	28	4	6	6	CI1520150
20	175	15°	38	36	28	4	6	6	CI1520175
20	100	18°	38	36	28	4	6	6	CI1820100
20	125	18°	38	36	28	4	6	6	CI1820125
20	150	18°	38	36	28	4	6	6	CI1820150
20	175	18°	38	36	28	4	6	6	CI1820175
20	100	20°	38	36	28	4	6	6	CI2020100
20	125	20°	38	36	28	4	6	6	CI2020125
20	150	20°	38	36	28	4	6	6	CI2020150
20	175	20°	38	36	28	4	6	6	CI2020175
20	100	22°	38	36	28	4	6	6	CI2220100
20	125	22°	38	36	28	4	6	6	CI2220125
20	150	22°	38	36	28	4	6	6	CI2220150
20	175	22°	38	36	28	4	6	6	CI2220175

MAT : Base support 1.2312 / Column 1.5732 ~ 58-60HRc / Screw 12.9

INCLINED ASSEMBLY CI



$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$




d1	L1	α	d2	L2	j	h	b	M	ITEM CODE
25	125	7°	48	45	36	5	6	8	CI0725125
25	150	7°	48	45	36	5	6	8	CI0725150
25	175	7°	48	45	36	5	6	8	CI0725175
25	200	7°	48	45	36	5	6	8	CI0725200
25	125	10°	48	45	36	5	6	8	CI1025125
25	150	10°	48	45	36	5	6	8	CI1025150
25	175	10°	48	45	36	5	6	8	CI1025175
25	200	10°	48	45	36	5	6	8	CI1025200
25	125	12°	48	45	36	5	6	8	CI1225125
25	150	12°	48	45	36	5	6	8	CI1225150
25	175	12°	48	45	36	5	6	8	CI1225175
25	200	12°	48	45	36	5	6	8	CI1225200
25	125	15°	48	45	36	5	6	8	CI1525125
25	150	15°	48	45	36	5	6	8	CI1525150
25	175	15°	48	45	36	5	6	8	CI1525175
25	200	15°	48	45	36	5	6	8	CI1525200
25	125	18°	48	45	36	5	6	8	CI1825125
25	150	18°	48	45	36	5	6	8	CI1825150
25	175	18°	48	45	36	5	6	8	CI1825175
25	200	18°	48	45	36	5	6	8	CI1825200
25	125	20°	48	45	36	5	6	8	CI2025125
25	150	20°	48	45	36	5	6	8	CI2025150
25	175	20°	48	45	36	5	6	8	CI2025175
25	200	20°	48	45	36	5	6	8	CI2025200
25	125	22°	48	45	36	5	6	8	CI2225125
25	150	22°	48	45	36	5	6	8	CI2225150
25	175	22°	48	45	36	5	6	8	CI2225175
25	200	22°	48	45	36	5	6	8	CI2225200

MAT : Base support 1.2312 / Column 1.5732 ~ 58-60HRc / Screw 12.9

INCLINED ASSEMBLY CI



$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$



d1	L1	α	d2	L2	j	h	b	M	ITEM CODE
30	150	7°	58	55	43	6	8	10	CI0730150
30	175	7°	58	55	43	6	8	10	CI0730175
30	200	7°	58	55	43	6	8	10	CI0730200
30	250	7°	58	55	43	6	8	10	CI0730250
30	150	10°	58	55	43	6	8	10	CI1030150
30	175	10°	58	55	43	6	8	10	CI1030175
30	200	10°	58	55	43	6	8	10	CI1030200
30	250	10°	58	55	43	6	8	10	CI1030250
30	150	12°	58	55	43	6	8	10	CI1230150
30	175	12°	58	55	43	6	8	10	CI1230175
30	200	12°	58	55	43	6	8	10	CI1230200
30	250	12°	58	55	43	6	8	10	CI1230250
30	150	15°	58	55	43	6	8	10	CI1530150
30	175	15°	58	55	43	6	8	10	CI1530175
30	200	15°	58	55	43	6	8	10	CI1530200
30	250	15°	58	55	43	6	8	10	CI1530250
30	150	18°	58	55	43	6	8	10	CI1830150
30	175	18°	58	55	43	6	8	10	CI1830175
30	200	18°	58	55	43	6	8	10	CI1830200
30	250	18°	58	55	43	6	8	10	CI1830250
30	150	20°	58	55	43	6	8	10	CI2030150
30	175	20°	58	55	43	6	8	10	CI2030175
30	200	20°	58	55	43	6	8	10	CI2030200
30	250	20°	58	55	43	6	8	10	CI2030250
30	150	22°	58	55	43	6	8	10	CI2230150
30	175	22°	58	55	43	6	8	10	CI2230175
30	200	22°	58	55	43	6	8	10	CI2230200
30	250	22°	58	55	43	6	8	10	CI2230250

MAT : Base support 1.2312 / Column 1.5732 ~ 58-60HRc / Screw 12.9

INCLINED ASSEMBLY CI

$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$



The position of the screws
determines the mounting position.

