


TILTED COLUMN SUPPORT CS

$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$




d1	d2	α	L2	j	h	M	ITEM CODE
12	24	7°	22	17,5	2,5	4	CS0712
12	24	10°	22	17,5	2,5	4	CS1012
12	24	12°	22	17,5	2,5	4	CS1212
12	24	15°	22	17,5	2,5	4	CS1512
12	24	18°	22	17,5	2,5	4	CS1812
12	24	20°	22	17,5	2,5	4	CS2012
12	24	22°	22	17,5	2,5	4	CS2212

d1	d2	α	L2	j	h	M	ITEM CODE
16	30	7°	28	22,5	3	5	CS0716
16	30	10°	28	22,5	3	5	CS1016
16	30	12°	28	22,5	3	5	CS1216
16	30	15°	28	22,5	3	5	CS1516
16	30	18°	28	22,5	3	5	CS1816
16	30	20°	28	22,5	3	5	CS2016
16	30	22°	28	22,5	3	5	CS2216

d1	d2	α	L2	j	h	M	ITEM CODE
20	38	7°	36	28	4	6	CS0720
20	38	10°	36	28	4	6	CS1020
20	38	12°	36	28	4	6	CS1220
20	38	15°	36	28	4	6	CS1520
20	38	18°	36	28	4	6	CS1820
20	38	20°	36	28	4	6	CS2020
20	38	22°	36	28	4	6	CS2220

TILTED COLUMN SUPPORT CS

$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$



d1	d2	α	L2	j	h	M	ITEM CODE
25	48	7°	45	36	5	8	CS0725
25	48	10°	45	36	5	8	CS1025
25	48	12°	45	36	5	8	CS1225
25	48	15°	45	36	5	8	CS1525
25	48	18°	45	36	5	8	CS1825
25	48	20°	45	36	5	8	CS2025
25	48	22°	45	36	5	8	CS2225

d1	d2	α	L2	j	h	M	ITEM CODE
30	58	7°	55	43	6	10	CS0730
30	58	10°	55	43	6	10	CS1030
30	58	12°	55	43	6	10	CS1230
30	58	15°	55	43	6	10	CS1530
30	58	18°	55	43	6	10	CS1830
30	58	20°	55	43	6	10	CS2030
30	58	22°	55	43	6	10	CS2230

MAT : 1.2312

INCLINED ASSEMBLY CI

$\alpha = 7^\circ / 10^\circ / 12^\circ / 15^\circ / 18^\circ / 20^\circ / 22^\circ$



The position of the screws
determines the mounting position.

